

AUTHOR INDEX 1985, Volume 19

- ABBOUD F M *see* MARCUS M L *et al*
 ABDELNOOR M *see* GOLF S *et al*
 ABE H *see* HORI M *et al*
 ABE Y *see* SAITO D *et al*
 ACAD B-A *see* FURMAN E *et al*
 ACHTERBERG P W, HARMSSEN E, and DE JONG J W Adenosine deaminase inhibition and myocardial purine release during normoxia and ischaemia, 593
 AGARWAL J B *see* WEINTRAUB W S *et al*
 AKIZUKI S, YOSHIDA S, CHAMBERS DE, EDDY L J, PARMLEY L F, YELLON D M, and DOWNEY J M Infarct size limitation by the xanthine oxidase inhibitor, allopurinol, in closed-chest dogs with small infarcts, 686
 — *see also* WEINTRAUB W S *et al*
 ALEXOPOULOS D *see* COBBE S M *et al*
 ALLEN D G The role of activation processes in the length-tension relation of cardiac muscle, 516 *abs*
 ALLEN J M, POLAK J M, RODRIGO J, DARCY K, and BLOOM S R Localisation of neuropeptide Y in nerves of the rat cardiovascular system and the effect of 6-hydroxydopamine, 570
 ALOAMAKA C P *see* EBEIGE A B and ALOAMAKA C P
 ALOUSI A A, CANTER J M, and FORT D J The beneficial effect of amrinone on acute drug-induced heart failure in the anaesthetised dog, 483
 ANDERSEN D *see* GOLF S *et al*
 ANGELINI G D, BRECKENRIDGE I M, BUTCHART E G, ARMISTEAD S H, MIDDLETON K M, HENDERSON A H, and NEWBY A C Metabolic damage to human saphenous vein during preparation for coronary artery bypass grafting, 326
 ANSELONE C G *see* PANTELY G A *et al*
 ARMISTEAD S H *see* ANGELINI G D *et al*
 ARMSTRONG M L *see* MARCUS M L *et al*
 ARNOLDA L, McGRATH B, COCKS M, SUMITHRAN E, and JOHNSTON C Adriamycin cardiomyopathy in the rabbit: an animal model of low output cardiac failure with activation of vasoconstrictor mechanisms, 378
 AUSTEN K F *see* BITTL J A *et al*
 AVERILL W *see* FRENCH W J *et al*
- B**
- BACCELLI G *see* DEL BO A *et al*
 BACHER S *see* BECK A *et al*
 BAGGER J P Coronary sinus blood flow determination by the thermolysis technique: influence of catheter position and respiration, 27
 — MATHAR R, PAULSEN P K, GORMSEN J, and OLSEN K H Verapamil induced increment of oxygen extraction in the arteriosclerotic limb, 567
 BAILLIART O *see* CHAUVEAU M *et al*
 BAIRD R N *see* CAMPBELL W B *et al*
 BAKER A R, PRYTHERCH D R, EVANS D H and BELL P R F Characterisation of aortic arterial stenoses in terms of pressure and flow, 559
 BANKA V S *see* WEINTRAUB W S *et al*
 BARDOU A *see* LEVY B *et al*
 — TARGETT R C *et al*
 BARRITT G J and LEE A M Effects of electrical stimulation and an intracellular calcium chelator on calcium movement in suspensions of isolated myocardial muscle cells, 370
 BAUDIER F *see* RENAUD S *et al*
 BAYLERIAN M S *see* PENNEY D G *et al*
 BENNETT T and GARDINER S M Involvement of vasopressin in cardiovascular regulation: review, 57
 BERCOVICI J *see* YOUNES A *et al*

- BERTHA B G and FOLTS J D Subendocardial and subepicardial segmental function changes in the dog heart due to gradual coronary flow reduction by an acutely developing thrombus, 495
 BEZEMER P D *see* TEULE G J J *et al*
 BECK A, GRASMUGG B, SINGER E, BACHER S, and RABERGER G Angiotensin-induced hypertension in conscious dogs, biochemical parameters and baroreceptor reflex, 721
 BELL P R F *see* BAKER A R *et al*
 BEYAR R, KISHON Y, KIMMEL E, NEUFELD H, and DINNAR U Intrathoracic and abdominal pressure variations as an efficient method for cardiopulmonary resuscitation: Studies in dogs compared with computer model results, 335
 BHARADWAJ B *see* PRASAD K *et al*
 BITTL J A, PFEFFER M A, LEWIS R A, MEHROTRA M M, COREY E J and AUSTEN K F Mechanism of the negative inotropic action of leukotrienes C4 and D4 on isolated rat heart, 426
 BLOOM S R *see* ALLEN J M *et al*
 BLUMBERG H *see* FAGIUS J, and BLUMBERG H
 BO A DEL *see* DEL BO A
 BODENHEIMER M M *see* WEINTRAUB W S *et al*
 BOLLI R, BRANDON T A, MACE M L, and WEILBAECHER D G Influence of α -adrenergic blockade on platelet-mediated thrombosis in stenosed canine coronary arteries, 146
 BOS G C VAN DEN *see* VAN DEN BOS G C
 BOSKER H, DRAKE-HOLLAND A J, TER KEURS H E D J, NOBLE M I M, PASSINGHAM J E, PEPPER J R, MAIN M J and WANLESS R B On the change of cardiac action potential with age: a study in dogs, 674
 BOUMANS M L L *see* OOSTENBROEK R J *et al*
 BRANDON T A *see* BOLLI R *et al*
 BRECKENRIDGE I M *see* ANGELINI G D *et al*
 BRISTOW J D *see* PANTELY G A *et al*
 BROMAN H *see* OLSSON S B *et al*
 BRONSVELD W, VAN LAMBALGEN A A, VAN VELZEN D, VAN DEN BOS G C, KOOPMAN P A R, and THUIS L G Myocardial metabolic and morphometric changes during canine endotoxin shock before and after glucose-insulin-potassium, 455
 — *see also* VAN LAMBALGEN A A *et al*
 BROWN L, and ERDMANN E Concentration-response curves of positive inotropic agents before and after ouabain pretreatment, 288
 BRUNNER H R *see* BURRIS J F *et al*
 BUCK J J J *see* TER KEURS H E D J *et al*
 BUGAISKY L B, RABINOWITZ M, and ZAK R Nuclear-cytoplasmic interactions affecting DNA synthesis during induced cardiac muscle growth in the rat, 89
 BURKHOF D *see* SAGAWA K *et al*
 BURRIS J F, WAEBER B, and BRUNNER H R Cardiac mass in glyccorticoid-hypertensive rats with and without circulating adrenaline, 734
 BUTCHART E G *see* ANGELINI G D *et al*
 BUTION M W T *see* WESSELING K H *et al*
- C**
- CAMERON C A *see* LANDYMORE R W *et al*
 CAMPBELL S M *see* Hosenpud J D *et al*
 CAMPBELL W B, SKIDMORE R, WOODCOCK J P, and BAIRD R N Detection of early arterial disease: a study using Doppler waveform analysis, 206
 CANTER J M *see* ALOUSI A A *et al*
 CAPASSO J M *see* SORENSON A L *et al*
 Cardiac Muscle Research Group Symposium, Bath, April 1985, abstracts, 513

- CELLINA G *see* DEL BO A *et al*
 CHAKRABARTI M K *see* ORCHARD C H *et al*
 CHAMBERS D E *see* AKIZUKI S *et al*
 CHAPPELL S P, LEWIS M J and HENDERSON A H Myocardial reoxygenation damage, can it be circumvented? 299
 CHAUVEAU M, LEVY B, DESSANGES J F, SAVIN E, BAILLIART O, and MARTINEAUD J P Quantitative Doppler blood flow measurement method and *in vivo* calibration, 700
 CHENG K-K *see* LIN C-I *et al*
 CHIANG B N *see* LIN C-I *et al*
 CHIU T-H *see* LIN C-I *et al*
 CLULEY S *see* WEINTRAUB W S *et al*
 CLYNE C A C, MEARS H, WELLER R O, and O'DONNELL T F Calf muscle adaptation to peripheral vascular disease, 507
 COBBE S M and MANLEY B S Effects of elevated extracellular potassium concentrations on the Class III antiarrhythmic action of sotalol, 69
 — and ALEXOPOULOS D The influence of acute myocardial ischaemia on the Class III antiarrhythmic action of sotalol, 661
 — — — and interaction of the effects of hypoxia, substrate depletion, acidosis and hyperkalaemia on the class III anti-arrhythmic properties of sotalol, 668
 COCKS M *see* ARNOLDA L *et al*
 CONWAY R S and WEISS H R Dependence of spatial heterogeneity of myocardial blood flow on mean blood flow rate in the rabbit heart, 160
 — *see also* WEISS H R and CONWAY R S
 COREY E J *see* BITTL J A *et al*
 CORNISH K G *see* ZUCKER I H *et al*
 COURT Y D SYNDERCOMBE *see* SYNDERCOMBE COURT Y D
 COWLEY A J, STAINER K, ROWLEY J M and WILCOX R G Effect of aspirin and indomethacin on exercise-induced changes in blood pressure and limb blood flow in normal volunteers, 177
 CUKIERMAN S Effects of extracellular potassium on slow response excitability in rabbit atrial trabeculae, 754

D

- DARCY K *see* ALLEN J M *et al*
 DAWSON P *see* WESTABY S *et al*
 DE JONG J W *see* ACHTERBERG P W *et al*
 DE LEON R SANCHEZ *see* SANCHEZ DE LEON R
 DEL BO A, BACCELLI G, CELLINA G, FEA F, FERRARI A, and ZANCHETTI A Carotid sinus reflexes during postural changes, naturally elicited fighting behaviour, and phases of sleep in the cat, 762
 DEN BOS G C VAN *see* VAN DEN BOS G C
 DER HOEVEN G M A VAN *see* VAN DER HOEVEN G M A
 DER LAARSE A VAN *see* VAN DER LAARSE A
 DESSANGES J F *see* CHAUVEAU M *et al*
 DINNAR U *see* BEYAR R *et al*
 DITCHEY R V and HORWITZ L D Metabolic evidence of inadequate coronary blood flow during closed-chest resuscitation in dogs, 419
 DORLAS J C *see* WESSELING K H *et al*
 DORRELL S G *see* TOZZI C A *et al*
 DOWNEY J M *see* AKIZUKI S *et al*
 DRAKE-HOLLAND A J *see* BOSKER H *et al*
 PETERSSON K *et al*
 DUMONT E *see* RENAUD S *et al*
 DUNBAR J C *see* PENNEY D G *et al*

E

- EASTHOPE R *see* THOMPSON R *et al*
 EBEIGBE A B and ALOAMAKA C P Mechanism of hydralazine-induced relaxation of arterial smooth muscle, 400
 EDDY L J *see* AKIZUKI S *et al*

- EICKHOFF J H and HENRIKSEN O Local regulation of subcutaneous forefoot blood flow during orthostatic changes in normal subjects, in sympathetically denervated patients and in patients with occlusive arterial disease, 219; addendum, 453
 ELZINGA G and WESTERHOF N Workload as a determinant of ventricular hypertrophy, 524 *abs*
 ERDMANN E *see* BROWN L and ERDMANN E
 EVANS D H *see* BAKER A R *et al*
 EVANS R G, VAL-MEJIAS J E, KULEVICH J, FISCHER V W, and MUELLER H S Evaluation of a rat model for assessing interventions to salvage ischaemic myocardium: effects of ibuprofen and verapamil, 132

F

- FAGIUS J and BLUMBERG H Sympathetic outflow to the hand in patients with Raynaud's phenomenon, 249
 FEA F *see* DEL BO A *et al*
 FERRARI A *see* DEL BO A *et al*
 FERREIRO J I *see* JOHNSON T A *et al*
 FILHO E C L *see* MACIEL B C *et al*
 FILHO J T *see* MACIEL B C *et al*
 FISCHER V W *see* EVANS R G *et al*
 FOLTS J D *see* BERTHA B G and FOLTS J D
 FORT D J *see* ALOUSI A A *et al*
 FRENCH W J, AVERILL W, UNG S, and LAKS M M Stress ventricular function test in conscious, nonthoracotomised dogs to assess cardiac drug efficacy: instruments and techniques, 51
 FUKUNAMI M, and HEARSE D J Temperature-dependency of nifedipine as a protective agent during cardioplegia in the rat, 95
 — *see also* HORI M *et al*
 FUKUZAKI H *see* OKADA T *et al*
 FURMAN E, ACAD B-A, SONN J, RAUL A, and KEDEM J Effect of global vs regional ischaemia upon myocardial contractility and oxygen balance, 606

G

- GALLO L *see* MACIEL B C *et al*
 GARDINER S M *see* BENNETT T and GARDINER S M
 GAZZARD V M *see* HAMES T K *et al*
 GERSHLICK A H, SYNDERCOMBE COURT Y D, MURDAY A J, LEWIS C T, and MILLS P G Adverse effects of high dose aspirin on platelet adhesion to experimental autogenous vein grafts, 770
 GEWIRTZ H *see* MOST A S *et al*
 GODIN D *see* KOBAYASHI M *et al*
 GOLF S, LÖVSTAD R, and HANSSON V β -adrenoceptor density and relative number of β -adrenoceptor subtypes in biopsies from human right atrial, left ventricular, and right ventricular myocardium, 636
 GOLF S, MYHRE E, ABDELNOOR M, ANDERSEN D, and HANSSON V Hypertrophic cardiomyopathy characterised by β -adrenoceptor density, relative amount of β -adrenoceptor subtypes and adenylate cyclase activity, 693
 GORMAN A J *see* ZUCKER I H *et al*
 GORMSEN J *see* BAGGER J P *et al*
 GRASMUGG B *see* BECK A *et al*
 GREENWALD S E, JOHNSON R J, and HAWORTH S G Pulmonary vascular input impedance in the newborn and infant pig, 44
 GREENWOOD P V *see* TEO K-K *et al*

H

- HAENNEL R G *see* TEO K-K *et al*
 HAMES T K, HUMPHRIES K N, GAZZARD V M, POWELL T V, and MCELLENN D L The role of continuous wave Doppler imaging in a vascular unit, 631
 HANSSON V *see* GOLF S *et al*

- HARMS E *see* ACHTERBERG P W *et al*
 HART M V *see* HOSENPUJ D *et al*
 HAWORTH S G *see* GREENWALD S E *et al*
 HEARSE D J *see* FUKUNAMI M and HEARSE D J
 HEFNER L L *see* REEVES R C *et al*
 HEIDENDAL G A K, *see* TEULE G J J *et al*
 HEISTAD D D *see* MARCUS M L *et al*
 HELFANT R H *see* WEINTRAUB W S *et al*
 HELLSTRÖM *see* OLSSON S B *et al*
 HENDERSON A H *see* ANGELINI G D *et al*
 CHAPPELL S P *et al*
 HENRIKSEN O *see* EICKHOFF J H and HENRIKSEN O
 HENRY G W *see* JOHNSON T A *et al*
 HERMENS W T *see* OOSTENBROEK R J *et al*
 HETHERINGTON M D *see* TED K-K *et al*
 HEXEBERG E *see* MATRE K *et al*
 HOEVEN G M A VAN DER *see* VAN DER HOEVEN G M A
 HOLLAND A J DRAKE- *see* DRAKE-HOLLAND A J
 HORI M, INOUE M, FUKUNAMI M, KITAKAZE M, ISHIDA Y,
 TSUIOKA K, NAKAJIMA S, KITABATAKE A, and ABE H An
 increase in afterload augments ventricular relaxation rate in
 isolated perfused canine hearts, 649
 HORWITZ L D *see* DITCHER R V and HORWITZ L D
 HOSENPUJ D J, CAMPBELL S M, HART M V, PAUL M S, ROWLES J
 R, and NILES N R Experimental autoimmune myocarditis
 in the guinea pig, 613
 HSIAO H S *see* JOHNSON T A *et al*
 HUIS G A VAN *see* VAN HUIS G A
 HUMPHRIES K N *see* HAMES T K *et al*
 HYODO T *see* SAITO D *et al*

I

- INOUE H, TODA I, NOZAKI A, MATSUI H, MASHIMA S, and
 SUGIMOTO T Inhomogeneity of ventricular refractory
 period in canine heart with quinidine-induced long QT
 interval: a comparative study on effects of heart rate,
 isoprenaline, and lignocaine, 623: Effects of bretylium
 tosylate on inhomogeneity of refractoriness and ventricular
 fibrillation threshold in canine hearts with quinidine-
 induced long QT interval, 655
 — *see also* HORI M *et al*
 ISHIDA Y *see* HORI M *et al*
 ISHIKAWA S and VASSALLE M Reversal of strophanthidin
 negative inotropy by metabolic substrates in cardiac Pur-
 kinje fibres, 537
 IWAZUMI T The mechanism of the length tension ascending
 limb in heart muscle, 515 *abs*

J

- JEWELL B R Chairman's introduction: Frank and Starling
 revisited, 513 *abs*
 — *see also* NICHOLS C G *et al*
 JOHNSON R J *see* GREENWALD S E *et al*
 JOHNSON T A, HENRY G W, LUCAS C L, KEAGY B A, LORES M E,
 HSIAO H S, FERREIRO J I, and WILCOX B R Two-
 dimensional *in vivo* pressure/diameter relationships in the
 canine main pulmonary artery, 442
 JOHNSTON C *see* ARNOLD L *et al*
 JONG J W DE *see* DE JONG J W

K

- KAPPAGODA T *see* TEO K-K *et al*
 KAWAI C *see* KONISHI T *et al*
 KAWASHIMA S *see* YOKOYAMA M *et al*
 KEAGY B A *see* JOHNSON T A *et al*
 KEDEM J *see* FURMAN E *et al*
 KENTISH J C The contribution of myofibrillar properties to the
 length-tension relationship of cardiac muscle, 517 *abs*

- KESTER A D M *see* TEULE G J J *et al*
 VAN LAMBALGEN A A *et al*
 KEURS H E D J *see* TER *see* KEURS H E D J
 KIL P J M and SCHIERECK P End-systolic pressure-volume
 relations of isolated ejecting rabbit left ventricles after quick
 diastolic volume changes, 782
 KIMMEL E *see* BEYAR R *et al*
 KINLEY C E *see* LANDYMORE R W *et al*
 KISHON Y *see* BEYAR R *et al*
 KITABATAKE A *see* HORI M *et al*
 KITAKAZE M *see* HORI M *et al*
 KOBAYASHI M, GODIN O, and NADÉAU R Sinus node responses
 to perfusion pressure changes, ischaemia and hypothermia
 in the isolated blood-perfused dog atrium, 20
 KONISHI T, NAKAMURA Y, KONISHI T, and KAWAI
 C Improvement in recovery of left ventricular function
 during reperfusion with coenzyme Q₁₀ in isolated working
 rat heart, 38
 — *see also* KONISHI T *et al*
 KOOPMAN P A R *see* BRONSVELD W *et al*
 KOYAMA S and MANNING J W Role of sympathetic nerve
 activity in endotoxin induced hypotension in cats, 32
 KREITZER D Electrophysiological study of the two main
 pacemaker mechanisms in the rabbit sinus node, 304
 KRUEGER J and OKADA R Some dynamic effects of initial
 length and isotonic motion on cardiac sarcomere shorten-
 ing, 519 *abs*
 KULEVICH J *see* EVANS R G *et al*
 KUSACHI S *see* SAITO D *et al*
 KYÖSOLA K T Effects of myocardial catecholamine accumu-
 lations on arrhythmias following ischaemia and reperfusion.
 A problem of open-heart surgery: correspondence, 452

L

- LAARSE A VAN DER *see* VAN DER LAARSE A
 LADLEY H D *see* PANTELY G A *et al*
 LAKS M M *see* FRENCH W J *et al*
 LAMBALGEN A A VAN *see* VAN LAMBALGEN A A
 LANDYMORE R W, KINLEY C E, and CAMERON C A Intimal
 hyperplasia in autogenous vein grafts used for arterial
 bypass: a canine model, 589
 LANG H *see* ZUCKER I H *et al*
 LEE A M *see* BARRITT G J and LEE A M
 LEKVEN J *see* MATRE K *et al*
 LEME N *see* ORCHARD C H *et al*
 LEON R SANCHEZ DE *see* SANCHEZ DE LEON R
 LEPPÖ J A, OKADA R D, STRAUSS H W, and POHOSOT G M Effect
 of hyperaemia on thallium-201 redistribution in normal
 canine myocardium, 679
 LESLIE P *see* THOMPSON R *et al*
 LESSARD Y and PAULET G Mechanism of liposoluble drugs and
 general anaesthetic's membrane action: action of difluoro-
 dichloromethane (FC12) on different types of cardiac fibres
 isolated from sheep hearts, 465
 LEVY B, TARGETT R C, BARDON A, and McILROY M
 B Quantitative ascending aortic Doppler blood velocity in
 normal human subjects, 383
 — *see also* CHAUVEAU M *et al*
 TARGETT R C *et al*
 LEWIS C T *see* GERSHLICK A H *et al*
 LEWIS M J *see* CHAPPELL S P *et al*
 LEWIS R A *see* BITTL J A *et al*
 LIN C-I, CHIU T-H, CHIANG B N, and CHENG K-
 K Electromechanical effects of caffeine in isolated human
 atrial fibres, 727
 LITTLER W A *see* MACE P J E *et al*
 LOPEZ J F and ORCHARD R C Effects of verapamil on the
 extracellular K⁺ rise during myocardial ischaemia in dogs,
 363

- LORET M E *see* JOHNSON T A *et al*
 LOVEDAY B E *see* NUTTALL A *et al*
 LÖVSTAD R *see* GOLF S *et al*
 LUCAS C L *see* JOHNSON T A *et al*
 LYONS C and SCHROEDER P Mapping of activation changes within the acutely ischaemic canine specialised conduction system, 319

M

- MACE M L *see* BOLLI R *et al*
 MACE P J E, WATSON R D S, SKAN W, and LITTLER W A Inhibition of the baroreceptor heart rate reflex by angiotensin II in normal man, 525
 McGRATH B *see* ARNOLDA L *et al*
 MACIEL B C, GALLO L, NETO J A M, FILHO E C L, FILHO J T, and MANÇO J C Parasympathetic contribution to bradycardia induced by endurance training in man, 642
 McLROY M B *see* LEVY B *et al*
 TARGETT R C *et al*
 McLLELLAN D L *see* HAMES T K *et al*
 MAIN M J *see* BOSKER H *et al*
 MANÇO J C *see* MACIEL B C *et al*
 MANLEY B S *see* COBBE S M and MANLEY B S
 COBBE S M *et al*
 MANNING J W *see* KOYAMA S and MANNING J W
 MANOHAR M Transmural coronary vasodilator reserve, and flow distribution during tachycardia in conscious young swine with right ventricular hypertrophy, 104
 MARCUS M L, HEISTAD D D, ARMSTRONG M L, and ABOUD F M Effects of chronic hypertension on vasa vasorum in the thoracic aorta, 777
 MARTINEAU J P *see* CHAUVÉAU M *et al*
 MASHIMA S *see* INOUE H *et al*
 MATHAR R *see* BAGGER J P *et al*
 MATRE K, HEXEBERG E, and LEKVEN J Interpretation of myocardial contraction recorded from local segments, 193
 MATSUBARA I, MAUGHAN D W, and YAGI N An X-ray diffraction study of chemically skinned cardiac muscle, 514
abs
 Matsuo H *see* INOUE H *et al*
 MAUGHAN D W *see* MATSUBARA I *et al*
 MAUGHAN W L *see* SAGAWA K *et al*
 MEARS H *see* CLYNE C A C *et al*
 MEHROTRA M M *see* BITTL J A *et al*
 MEJAS J E VAL- *see* VAL-MEJAS J E
 MERRILL G F *see* TOZZI C A *et al*
 MIDDLETON K M *see* ANGELINI G D *et al*
 MILLS P G *see* GERSHLICK A H *et al*
 MIRVIS D M Electrocardiographic correlates of myocardial ischaemia induced by atrial and ventricular pacing in dogs with coronary stenosis, 254
 MOST A S, WILLIAMS D O, and GEWIRTZ H Elevated coronary vascular resistance in the pressure of reduced resting blood flow distal to a severe coronary stenosis, 599
 MUELLER H S *see* EVANS R G *et al*
 MULDER B J M *see* TER KEURS H E D J *et al*
 MULVANY M J *see* NYBORG N C B and MULVANY M J
 MURDAY A J *see* GERSHLICK A H *et al*
 MYHRE E *see* GOLF S *et al*

N

- NACCARELLA F *see* WEINTRAUB W S *et al*
 NADEAU R *see* KOBAYASHI M *et al*
 NAKAJIMA S *see* HORI M *et al*
 NAKAMURA Y *see* KONISHI T *et al*
 NAKATSU T *see* SAITO D *et al*
 NETO J A M *see* MACIEL B C *et al*
 NEUFELD H *see* BEYAR R *et al*
 NEWBY A C *see* ANGELINI G D *et al*

- NICHOLS C G, ROUSE W, and JEWELL B R Length-dependence of activation in isolated cardiac muscle and in the whole heart, 522
 NUBOER J A *see* WESSELING K H *et al*
 NILES N R *see* HOSENPUD J D *et al*
 NOBLE M I M *see* BOSKER H *et al*
 PETERSSON K *et al*
 NOZAKI A *see* INOUE H *et al*
 NUTTALL A, SMITH H J, and LOVEDAY B E A clinically relevant model of heart failure: effects of ticlopidine, 187
 — *see also* SMITH H J and NUTTALL A
 NYBORG N C B and MULVANY M J Lack of effect of anti-hypertensive treatment with felodipine on cardiovascular structure of young spontaneously hypertensive rats, 528

O

- O'Donnell T F *see* CLYNE C A C *et al*
 OKADA R D *see* LEPPA J A *et al*
 OKADA T *see* KRUEGER J and OKADA T
 YOKOYAMA M *et al*
 OKAMURA T *see* TODA N *et al*
 OLSEN K H *see* BAGGER J P *et al*
 OLSSON S B, BROMAN H, HELLSTRÖM C, TALWAR K K, and VOLKMAN R Adaptation of human atrial muscle repolarisation after high rate stimulation, 7
 O'NEIL C L *see* PRASAD K *et al*
 OOSTENBROEK R J, WILLEMS G M, BOUMANS M L L, SOETERS P B, and HERMENS W T Liver damage as a potential source of error in the estimation of myocardial infarct size from plasma creatine kinase activity, 113
 ORCHARD C H, SANCHEZ DE LEON R, CHAKRABARTI M K, LEME N, and SYKES M K Pulmonary lobe blood flow during ventilation hypoxia and lobar collapse in the dog, 264
 ORCHARD R C *see* LOPEZ J F and ORCHARD R C
 ORTCHIANIAN E *see* RENAUD S *et al*

P

- PANTELY G A, LADLEY H D, ANSELONE C G, and BRISTOW J D Vasopressin-induced coronary constriction at low perfusion pressures, 433
 PARMLEY L F *see* AKIZUKI S *et al*
 PASSINGHAM J E *see* BOSKER H *et al*
 PATTERSON R E *see* SPEIR E H *et al*
 PAUSCHINGER P *see* PAULAT K *et al*
 PAUL M S *see* HOSENPUD J D *et al*
 PAULAT K, PAUSCHINGER P, POPP M, SCHIEBE M, and WIDDER B A new sensitive method for the quantification of internal carotid stenoses by means of ultrasound Doppler signal processing, 714
 PAULET G *see* LESSARD Y and PAULET G
 PAULSEN P K *see* BAGGER J P *et al*
 PENNEY D G, DUNBAR J C, and BAYLERIAN M S Cardiomegaly and haemodynamics in rats with a transplantable growth hormone-secreting tumour, 270
 PEPPER J R *see* BOSKER H *et al*
 PETERSSON K, DRAKE-HOLLAND A J, and NOBLE M I M Isometric contractions studied in the isovolumically beating dog heart, 521 *abs*
 PFEFFER M A *see* BITTL J A *et al*
 POHOSH G M *see* LEPPA J A *et al*
 POLAK J M *see* ALLEN J M *et al*
 POOLE-WILSON PA *see* TONES M A and POOLE-WILSON PA
 POPP M *see* PAULAT K *et al*
 POWELL T V *see* HAMES T K *et al*
 PRASAD K, O'NEIL C L, and BHARADWAJ B Effect of prazosin treatment on the cardiac sarcolemmal ATPase in failing heart due to mitral insufficiency in dogs, 406
 PRIDIE R B *see* WESTABY S *et al*
 PRYTHERCH D R *see* BAKER A R *et al*

R

- RABEROER G *see* BECK A *et al*
 RABINOWITZ M *see* BUGAISKY L B *et al*
 RAUL A *see* FURMAN E *et al*
 REEVES D N S *see* REEVES R C *et al*
 REEVES R C, REEVES D N S, WALKER A A, and HEFNER L L The fast and slow components of the force-length curve in cardiac muscle, 520 *abs*
 RENAUD S, DUMONT E, BAUDIER F, ORTCHANIAN E, and SYMINGTON I S Effect of smoking and dietary saturated fats on platelet functions in Scottish farmers, 155
 RICCIARDI L *see* TER KEURS H E D J *et al*
 ROBINSON T F *see* SORENSON A L *et al*
 RODRIGO J *see* ALLEN J M *et al*
 ROSS I *see* THOMPSON R *et al*
 ROSSALL R E *see* TEO K-K *et al*
 ROSSNER K L Isoprenaline-evoked disturbances in action potentials from hearts of young cardiomyopathic hamsters, 584
 ROUSE W *see* NICHOLS C G *et al*
 ROWLES J R *see* HOSENPUD J D *et al*
 ROWLEY J M *see* COWLEY A J *et al*
 RUSKOAHO H J and SAVOLAINEN E-R Effects of long-term verapamil treatment on blood pressure, cardiac hypertrophy and collagen metabolism in spontaneously hypertensive rats, 355

S

- SAGAWA K, MAUGHAN W L, BURKHOFF D, and YUE D The similarity between ventricular pressure-volume relation and muscle force-length relation, 523 *abs*
 SAITO D, ABE Y, TANI H, TAKEDA K, HYODO T, NAKATSU T, UEEDA M, and KUSACHI S Effect of adenosine deaminase inhibitors on myocardial reactive hyperaemia following brief coronary occlusions, 578
 SAKAMOTO S *see* YOKOYAMA M *et al*
 SANCHEZ DE LEON R *see* ORCHARD C H *et al*
 SAVIN E *see* CHAUVEAU M *et al*
 SAVOLAINEN E-R *see* RUSKOAHO H J and SAVOLAINEN E-R
 SCHIEBE M *see* PAULAT K *et al*
 SCHIERECK P *see* KIL P J M and SCHIERECK P
 SCHNEIDER J M *see* YOUNES A *et al*
 SCHROEDER P *see* LYONS C and SCHROEDER P
 SETTELS J J *see* WESSELING K H *et al*
 SHIMIZU I *see* TODA N *et al*
 SINGER E *see* BECK A *et al*
 SIKEMA P *see* VAN HUISE G A *et al*
 SKAN W *see* MACE P J E *et al*
 SKIDMORE R *see* CAMPBELL W B *et al*
 SLEIGHT P Abstracts of Symposium organised by the Cardiac Muscle Research Group, Bath, April 1985, 513
 SMITH D M and SUGDEN P H Rates of synthesis of actomyosin in atria and ventricles of the perfused working rat heart, 552
 SMITH H J and NUTTALL A Experimental models of heart failure: review, 181
 — *see also* NUTTALL *et al*
 SOETERS P B *see* OOSTENBROEK R J *et al*
 SONN J *see* FURMAN E *et al*
 SONNENBLICK E H *see* SORENSON A L *et al*
 SORENSON A L, TEPPER D, SONNENBLICK E H, ROBINSON T F, and CAPASSO J M Size and shape of enzymatically isolated ventricular myocytes from rats and cardiomyopathic hamsters, 793
 SPEIR E H, SULLIVAN J, and PATTERSON R E A new device for the efficient pulverisation and extraction of myocardial biopsies for high energy phosphate analysis: instruments and techniques, 449
 STAINER K *see* COWLEY A J *et al*
 STRAUSS H W *see* LEPPÖ J A *et al*

- SUGDEN P H *see* SMITH D M and SUGDEN P H
 SUGIMOTO T *see* INOUE H *et al*
 SULLIVAN J *see* SPEIR E H *et al*
 SUMITHRAN E *see* ARNOLDA L *et al*
 SWYNGHEDAUW B *see* YOUNES A *et al*
 SYKES M K *see* ORCHARD C H *et al*
 SYMINGTON I S *see* RENAUD S *et al*
 SYNDERCOMBE COURT Y D *see* GERSHLICK A H *et al*

T

- TAKEDA K *see* SAITO D *et al*
 TALWAR K K *see* OLSSON S B *et al*
 TANI H *see* SAITO D *et al*
 TARGETT R C, LEVY B, BARDOU A, and MCLOY M B Simultaneous Doppler blood velocity measurements from aorta and radial artery in normal human subjects, 394
 — *see also* LEVY B *et al*
 TATSUNO Y *see* TODA N *et al*
 TEO K-K, HETHERINGTON M D, HAENNEL R G, GREENWOOD P V, ROSSALL R E, and KAPPA G O D Cardiac output measured by impedance cardiography during maximal exercise tests, 737
 TEPPER D *see* SORENSON A L *et al*
 TER KEURS H E D J, WOHLFART B, RICCIARDI L, MULDER B J M, BUCK J J J, and VAN DER LAARSE A Force, velocity of shortening and sarcomere length in cardiac muscle, 518 *abs*
 — *see also* BOSKER H *et al*
 TEULE G J J, KESTER A D M, BEZEMER P D, THUIS L J, and HEIDENDAL G A K Hepatic trappings of red cells in canine endotoxin shock: a variable phenomenon after splenectomy, 201
 THUIS L G *see* BRONSVELD W *et al*
 VAN LAMBALGEN A A *et al*
 THUIS L J *see* TEULE G J J *et al*
 THOMPSON R, ROSS I, LESLIE P, and EASTHOPE R Haemodynamic adaptation to exercise in asymptomatic patients with severe aortic regurgitation, 212
 THORNING D *see* VRACKO R and THORNING D
 TODA N *see* INOUE H *et al*
 TODA N, OKAMURA T, SHIMIZU I, and TATSUNO Y Postmortem functional changes in coronary and cerebral arteries from humans and monkeys, 707
 TONES M A and POOLE-WILSON P A Alpha-adrenoceptor stimulation, lysophosphoglycerides, and lipid peroxidation in reoxygenation induced calcium uptake in rabbit myocardium, 228
 TOZZI C A, DORRELL S G, and MERRILL G F Evidence of histamine-induced myocardial ischaemia: reversal by chlorpheniramine and potentiation by atherosclerosis, 744
 TSUIJOKA K *see* HORI M *et al*
 TURNER M W *see* WESTABY S *et al*

U

- UEEDA M *see* SAITO D *et al*
 ÜNG S *see* FRENCH W J *et al*

V

- VAL-MEJIAS J E *see* EVANS R G *et al*
 VAN DEN BOS G C *see* BRONSVELD W *et al*
 VAN LAMBALGEN A A *et al*
 VAN DER HOEVEN G M A *see* WESSELING K H *et al*
 VAN DER LAARSE A *see* TER KEURS H E D J *et al*
 VAN HUIS G A, SIKEMA P, and WESTERHOF N Instantaneous and steady-state pressure-flow relations of the coronary system in the canine beating heart, 121
 VAN LAMBALGEN A A, BRONSVELD W, VAN DEN BOS G C, THUIS L G, and KESTER A D M Skeletal muscle perfusion and metabolism during canine endotoxin shock, 278
 — *see also* BRONSVELD W *et al*

- VAN VELZEN D *see* BRONSVELD W *et al*
 VASSALLE M *see* ISHIKAWA S, and VASSALLE M
 VELZEN D *see* VAN VELZEN D
 VOLKMANN R *see* OLSSON S B *et al*
 VRACKO R and THORNING D Freeze-thaw injury of rat heart across an intact diaphragm: a new model for the study of the response of myocardium to injury, 76
- W
- WAEBER B *see* BURRIS J F *et al*
 WALKER A A *see* REEVES R C *et al*
 WANLESS R B *see* BOSKER H *et al*
 WATSON R D S *see* MACE P J E *et al*
 WEILBAECHER D G *see* BOLLI R *et al*
 WEINTRAUB W S, CLULEY S, NACCARELLA F, AKIZUKI S, AGARWAL J B, BODENHEIMER M M, BANKA V S, and HELFANT R H Influence of nitroglycerin on collateral blood flow during acute ischaemia in the dog, 169
 WEISS H R and CONWAY R S Morphometric study of the total and perfused arteriolar and capillary network of the rabbit left ventricle, 343
 — *see also* CONWAY R S and WEISS H R
 WELLER R O *see* CLYNE C A C *et al*
 WESSELING K H, SETTELS J J, VAN DER HOEVEN G M A, NUBOER J A, BUTIN M W T, and DORLAS J C Effects of peripheral vasoconstriction on the measurement of blood pressure in a finger, 139
 WESTABY S, DAWSON P, TURNER M W, and PRIDIE R B Angiography and complement activation. Evidence for generation of C3a anaphylatoxin by intravascular contrast agents, 85
 WESTERHOF N *see* ELZINGA G and WESTERHOF N
 VAN HUIS G A *et al*
- WIDDER B *see* PAULAT K *et al*
 WILCOX B R *see* JOHNSON T A *et al*
 WILCOX R G *see* COWLEY A J *et al*
 WILLEMS G M *see* OOSTENBROEK R J *et al*
 WILLIAMS C A Effect of clonidine and naloxone on the pressor response during contraction of cat hind-limb muscles, 474
 WILLIAMS D O *see* MOST A S *et al*
 WILSON P A POOLE- *see* POOLE-WILSON P A
 WOHLFART B *see* TER KEURS H E D J *et al*
 WOODCOCK J P *see* CAMPBELL W B *et al*
- Y
- YAGI N *see* MATSUBARA I *et al*
 YELLON D M *see* AKIZUKI S *et al*
 YOKOYAMA M, SAKAMOTO S, KAWASHIMA S, OKADA T, and FUKUZAKI H Myocardial ischaemia produced by ergonovine-induced vasoconstriction during preexisting coronary stenosis: experimental conditions for the geometric theory, 237
 YOSHIDA S *see* AKIZUKI S *et al*
 YOUNES A, SCHNEIDER J M, BERCOVICI J, and SWYNGHEDAUX B Redistribution of creatine kinase isoenzymes in chronically overloaded myocardium, 15
 YUE D *see* SAGAWA *et al*
- Z
- ZAK R *see* BUGAISKY L B *et al*
 ZANCHETTI A *see* DEL BO A *et al*
 ZUCKER I H, GORMAN A J, CORNISH K G, and LANG M Impaired atrial receptor modulation of renal nerve activity in dogs with chronic volume overload, 411

SUBJECT INDEX

1985, Volume 19

A

- Action potential changes with age, dogs, 674
- during open heart surgery, microelectrode technique, 7
- Actomyosin, rates of synthesis in perfused heart, rat, 552
- Addendum, 453
- Adenosine deaminase inhibitors, effect on myocardial reactive hyperaemia following brief coronary occlusions, 578
- and myocardial purine release during normoxic and ischaemia, 593
- Adriamycin cardiomyopathy, rabbit, 378
- Afterload dependence of ventricular relaxation, 649
- Allopurinol and infarct size, closed-chest dogs, 686
- Alpha-adrenergic blockade, influence on platelet-mediated thrombosis in canine coronary artery stenosis, 146
- Alpha-adrenoceptor stimulation, in reoxygenation induced calcium uptake, rabbit myocardium, 228
- Amrinone, beneficial effect on acute drug-induced heart failure, anaesthetised dog, 483
- Angiography and complement activation, evidence for generation of C3a anaphylatoxin by intravascular contrast agents, 85
- Angiotensin-induced hypertension, conscious dogs, biochemical parameters and baroreceptor reflex, 721
- Angiotensin II, inhibiting baroreceptor heart rate reflex, normal man, 525
- ANNOUNCEMENTS, 55, 120, 453
- Anti-hypertensive therapy, lack of effect on cardiovascular structure, spontaneously hypertensive rats, 528
- Aorta (aortic), ascending, Doppler blood velocity, normal man, 383
- and radial artery, simultaneous Doppler blood velocity measurements, normal man, 394
- regurgitation, haemodynamic adaptation to exercise, 212
- Aorto-iliac arterial stenoses, characterisation in terms of pressure and flow, 559
- Arterial bypass, intimal hyperplasia in autogenous vein grafts, canine model, 589
- occlusive disease, blood flow regulation, forefoot, 219: addendum, 453
- — early, detection, Doppler waveform analysis, 206
- Arteriolar and capillary network, left ventricle, rabbit, morphometric study, 343
- Arteriosclerosis, characterisation in terms of pressure and flow, 559
- limb, verapamil induced increment of oxygen extraction, 567
- Aspirin, high dose, adverse effects on platelet adhesion to experimental autogenous vein grafts, 770
- and indomethacin, different effects on blood pressure and limb blood flow, 177
- Atherosclerosis, and potentiation of histamine-induced myocardial ischaemia, 744
- Atrial (atrium) fibres, isolated, electromechanical effects of caffeine, man, 727
- isolated blood-perfused, sinus node responses to perfusion pressure changes, ischaemia and hypothermia, dog, 20
- muscle repolarisation, human, adaptation after high rate stimulation, 7
- receptors in heart failure, 411
- AUTHORS' INSTRUCTIONS, 1
- Autogenous vein grafts, used for arterial bypass, intimal hyperplasia in, canine model, 589
- Autoimmune myocarditis, experimental, guinea pig, 613

B

- Baroreceptor heart rate reflex, inhibition by angiotensin II, normal man, 525

- Behaviour, carotid sinus reflexes during, cat, 762
- Beta-adrenoceptors in human right atrial, left ventricular and right ventricular myocardium, 636
- in hypertrophic cardiomyopathy, relative amount of subtypes and adenylate cyclase activity, 693
- Biopsies, myocardial, for high energy phosphate analysis, pulverising gun, new method: instruments and techniques, 449
- Blood flow, collateral, during acute ischaemia, influence of nitroglycerin, 169
- — regulation in normal arterial occlusive disease, and sympathetic denervation, forefoot, 219: addendum, 453
- — variability, dependence of spatial heterogeneity on mean blood flow rate, rabbit heart, 160
- pressure, effects of aspirin and indomethacin, 177
- — measurement, finger, effects of peripheral vasoconstriction, 139
- Bradycardia, induced by endurance training, parasympathetic contribution, 642
- Bretylium and quinidine-induced long QT interval, 655

C

- Caffeine, electromechanical effects in isolated atrial fibres, man, 727
- Calcium movement in myocardial cells, effects of stimulation and chelator, 370
- uptake, reoxygenation-induced, α -adrenoceptor stimulation, LPC and lipid peroxidation as mediators, 228
- Calf muscle adaptation to peripheral vascular disease, 507
- Cardiac fibres, effect of FC12, 465
- mass in glucocorticoid-hypertensive rats, with and without circulating adrenaline, 734
- muscle, chemically, skinned, X-ray diffraction study, 514 *abst*
- — contribution of myofibrillar properties to length-tension relationship, 517 *abst*
- — fast and slow components of force-length curve, 520 *abst*
- — force, velocity of shortening and sarcomere length, 518 *abst*
- — growth, induced DNA synthesis during, nuclear-cytoplasmic interactions affecting, rat, 89
- — isolated, and whole heart, length-dependence of activation in, 522 *abst*
- — mechanism of length-tension ascending limb, 515 *abst*
- — role of activation processes in length-tension relation, 516 *abst*
- output measured by impedance cardiography during maximal exercise tests, 737
- Cardiomegaly and growth hormone-secreting tumour, rat, 270
- Cardiomyopathy, adriamycin, rabbit, 378
- and enzymatically isolated ventricular myocytes, hamsters, 793
- hypertrophic, beta-adrenoceptors in, relative amount of subtypes and adenylate cyclase activity, 693
- isoprenaline-evoked disturbances in action potentials, young hamster, 584
- Cardioplegia, nifedipine as protective agent during, temperature-dependency, rat, 95
- Cardiopulmonary resuscitation, intrathoracic and abdominal pressure variations as efficient method, studies in dogs and computer model results compared, 335
- — metabolic evidence of inadequate coronary blood flow during, dogs, 419
- Cardiovascular regulation, vasopressin involvement, review, 57
- system, nerves, rat, localisation of neuropeptides Y and effect of 6-hydroxydopamine, 570

- Carotid sinus reflexes during postural changes, naturally elicited fighting behaviour and phases of sleep, cat, 762
- stenoses, internal, new sensitive method for quantification by ultrasound Doppler signal processing, 714
- Catecholamine accumulations, myocardial, effects on arrhythmias following ischaemia and reperfusion, problem of open-heart surgery: correspondence, 452
- Catheter position, influence on coronary sinus blood flow determination by thermodilution technique, 27
- Cerebral and coronary arteries, postmortem functional changes, man, monkey, 707
- Chlorpheniramine, for reversal of histamine-induced myocardial ischaemia, 744
- Clonidine and naloxone, effect on pressor response during contraction of cat hind-limb muscles, 474
- Closed-chest resuscitation *see* Cardiopulmonary resuscitation
- Coenzyme Q₁₀, reperfusion with, left ventricular function, improvement in recovery, isolated working rat heart, 38
- Complement activation and angiography, evidence for generation of C3a anaphylatoxin by intravascular contrast agents, 85
- Coronary artery bypass grafting, metabolic damage to human saphenous vein during preparation, 326
- blood flow, inadequate, during closed-chest resuscitation, metabolic evidence, dogs, 419
- — — *see also* Myocardial
- and cerebral arteries, postmortem functional changes, man, monkey, 707
- circulation, right ventricular hypertrophy, swine, 104
- sinus blood flow determination by thermodilution technique, influence of catheter position and respiration, 27
- stenosis, ergonovine and myocardial ischaemia, conditions for geometric theory, 237
- — reduced resting blood flow distal to, elevated coronary vascular resistance in, 599
- CORRESPONDENCE:
- Effects of myocardial catecholamine accumulations on arrhythmias following ischaemia and reperfusion. A problem of open-heart surgery, 452
- Creatine kinase activity, myocardial infarct size estimation, liver damage as potential source of error, 113
- — isoenzymes, redistribution in chronically overloaded myocardium, 15
- D
- Diffuorodichloromethane (FC12), cardiac membrane action on different types of cardiac fibres, isolated sheep hearts, 465
- DNA synthesis during induced cardiac muscle growth, nuclear-cytoplasmic interactions affecting, rat, 89
- Doppler blood flow measurement method, quantitative, and *in vivo* calibration, 700
- blood velocity, ascending aorta, normal man, 383
- — — measurements, aorta and radial artery, normal man, 394
- imaging, continuous wave, role in vascular unit, 631
- ultrasound signal processing, new sensitive method for quantification of internal carotid stenoses, 714
- waveform analysis, in detection of early arterial disease, 206
- Drug efficacy, cardiac, stress ventricular function test assessment, conscious, nonthoracotomised dogs: instruments and techniques, 51
- induced heart failure, anaesthetised dog, beneficial effect of amrinone, 483
- E
- End-systolic pressure volume relation, similarity to muscle force-length, 523 *abst*
- Endotoxin induced hypotension, role of sympathetic nerve activity, cats, 32
- shock, hepatic pooling, after splenectomy, dog, 201
- — skeletal muscle perfusion and metabolism during, dog, 278
- Ergonovine and myocardial ischaemia, conditions for geometric theory, 237
- Exercise tests, maximal, cardiac output measured by impedance cardiography during, 737
- F
- FC12, cardiac membrane action on different types of cardiac fibres, isolated sheep hearts, 465
- Felodipine, lack of effect on cardiovascular structure, spontaneously hypertensive rats, 528
- Force-length curve, cardiac muscle, fast and slow components, 520 *abst*
- — relation, muscle, similarity to ventricular pressure-volume relation, 523, *abst*
- velocity of shortening and sarcomere length, cardiac muscle, 518 *abst*
- Frank and Starling revisited: Chairman's introduction, 513 *abst*
- Freeze-thaw injury, myocardium, rat, 76
- G
- Geometric theory, applied to myocardial ischaemia produced by ergonovine-induced vasoconstriction during preexisting coronary stenosis, 237
- GIK, myocardial metabolic and morphometric changes during shock, canine, 455
- Glucocorticoid-hypertensive rats, cardiac mass, with and without circulating adrenaline, 734
- Glucose-insulin-potassium, myocardial metabolic and morphometric changes during shock, dogs, 455
- Growth hormone-secreting tumour, and cardiomegaly, rat, 270
- H
- Heart failure, atrial receptors, 411
- — clinically relevant model, effects of ticlopidine, 187
- — experimental models: review, 181
- Hepatic pooling in endotoxin shock, after splenectomy, dog, 201
- Hind-limb muscles, cat, effect of clonidine and naloxone on pressor response during contraction, 474
- His bundle, mapping of activation changes within, in acute, ischaemia, dog, 319
- Histamine-induced myocardial ischaemia, evidence of, reversal by chlorpheniramine and potentiation by atherosclerosis, 744
- Hydralazine-induced relaxation of arterial smooth muscle, mechanism, 400
- 6-Hydroxydopamine, effect on localisation of neuropeptide Y in nerves of cardiovascular system, rat, 570
- Hyperaemia, effect on thallium-201 redistribution, normal canine myocardium, 679
- Hypertension, angiotensin-induced, conscious dogs, biochemical parameters and baroreceptor reflex, 721
- chronic, effects on vasa vasorum in thoracic aorta, 777
- glucocorticoid, cardiac mass, with and without circulating adrenaline, 734
- Hypertrophic cardiomyopathy, beta-adrenoceptors in, relative amount of subtypes and adenylate cyclase activity, 693
- — *see also* Cardiomyopathy
- Hypotension, endotoxin induced, role of sympathetic nerve activity, cats, 32
- Hypothermia, sinus node responses, isolated blood-perfused atrium, dog, 20
- I
- Ibuprofen, in evaluation of rat model for ischaemic myocardium, 132
- Impedance cardiography, measuring cardiac output during maximal exercise tests, 737
- Indomethacin and aspirin, different effects on blood pressure and limb blood flow, 177

Infarct size, ibuprofen and verapamil in evaluation, rat model, 132
— limitation by allopurinol, closed-chest dogs with small infarcts, 686

Instructions to Authors, 1

INSTRUMENTS AND TECHNIQUES:

A new device for the efficient pulverisation and extraction of myocardial biopsies for high energy phosphate analysis, 449
Stress ventricular function test in conscious, non-thoracotomised dogs to assess cardiac drug efficacy, 51

Intimal hyperplasia in autogenous vein grafts used for arterial bypass, canine model, 589

Intrathoracic and abdominal pressure variations as efficient method for cardiopulmonary resuscitation, studies in dogs and computer model results compared, 335

Ischaemia, acute, mapping of activation changes within specialised conduction system, dog, 319
— global vs regional, effect on myocardial contractility and oxygen balance, 606

— and normoxia, adenosine deaminase inhibition and myocardial purine release during, 593

— sinus, node responses, isolated blood-perfused atrium, dog, 20

Isometric contractions, in isovolumically beating dog heart, 521 *abst*

Isoprenaline, effect on quinidine-induced long QT interval, 623

— evinced disturbances in action potentials in cardiomyopathy, young hamsters, 584

Isovolumically beating dog heart, isometric contractions, 521 *abst*

K

K⁺, effects of verapamil during myocardial ischaemia, dogs, 363

L

Length-dependence of activation in isolated cardiac muscle and whole heart, 522 *abst*

— initial, and isotonic motion, dynamic effects on cardiac sarcomere shortening, 519 *abst*

— sarcomere, force and velocity of shortening, cardiac muscle, 518 *abst*

— tension ascending limb, cardiac muscle, mechanism, 515 *abst*

— sarcomere, relationship of cardiac muscle, contribution of myofibrillar properties, 517 *abst*

— relation of cardiac muscle, role of activation processes, 516 *abst*

Leukotrienes C4 and D4, mechanism of negative inotropic action on isolated rat heart, 426

Lignocaine, effect on quinidine-induced long QT interval, 623

Limb blood flow, effects of aspirin and indomethacin, 177

Lipid peroxidation, in reoxygenation induced calcium uptake, rabbit myocardium, 228

Liposoluble drugs, mechanism, 465

Liver damage, as potential source of error in myocardial infarct size estimation from plasma creatine kinase activity, 113

Long QT interval, quinidine-induced, effects of bretylium, 655

— inhomogeneity of ventricular refractory period, effects of isoprenaline and lignocaine, 623

Lysophosphoglycerides, in reoxygenation induced calcium uptake, rabbit myocardium, 228

M

Metabolic damage to human saphenous vein during coronary artery bypass grafting preparation, 326

Microvasculature, heart, perfused, morphometric study, 343
Model, clinically relevant, heart failure, effects of ticlopidine, 187

— experimental, heart failure: review, 181

— rat, ischaemic myocardium, ibuprofen and verapamil in evaluation, 132

Monophasic action potential during sinus rhythm after DC conversion, 7

Muscle, smooth, arterial, mechanism of hydralazine-induced relaxation, 400

Myocardial (myocardium) biopsies for high energy phosphate analysis, pulverising gun, new method: instruments and techniques, 449

— chronically overloaded, redistribution of creatine kinase isoenzymes, 15

— freeze-thaw injury, rat, 76

— histamine-induced, evidence of, reversal by chlorpheniramine and potentiation by atherosclerosis, 744

— and S-T segment, with pacing-induced tachycardia, 254

— purine release and adenosine deaminase inhibition, during normoxia and ischaemia, 593

— reactive hyperaemia following brief coronary occlusions, effect of adenosine deaminase inhibitors, 578

— reoxygenation damage, circumvention, 299

Myocarditis, autoimmune, experimental, guinea pig, 613

Myofibrillar properties, contribution to length-tension relationship of cardiac muscle, 517 *abst*

N

Naloxone and clonidine, effect on pressor response during contraction of cat hind-limb muscles, 474

Neuropeptide T, localisation in nerves of cardiovascular system, rat, effect of 6-hydroxydopamine, 570

Nifedipine as protective agent during cardioplegia, temperature-dependency, rat, 95

Nitroglycerin, influence on collateral blood flow during acute ischaemia, dog, 169

Normoxia and ischaemia, adenosine deaminase inhibition and myocardial purine release during, 593

Nuclear-cytoplasmic interactions, affecting DNA synthesis during induced cardiac muscle growth, rat, 89

O

Open-heart surgery, effects of myocardial catecholamine accumulations on arrhythmias: correspondence, 452

Ouabain pretreatment, concentration-response curves of positive inotropic agents before and after, 288

Oxygen balance and myocardial contractility, effect of global vs regional ischaemia, 606

— extraction, verapamil induced increment, arteriosclerotic limb, 567

— blood flow, reduced, residual vasculature reserve with, 599

— right ventricular hypertrophy, swine, 104

— see also Coronary

— cells, calcium movement, effects of stimulation and chelator, 370

— contractility and oxygen balance, effect of global vs regional ischaemia, 606

— contraction, recorded from local segments, interpretation, 193

— infarct size, estimation from plasma creatine kinase activity, liver damage as potential source of error, 113

— ischaemia, acute, influence on Class III antiarrhythmic action of sotalol, 661

— and ergonovine, conditions for geometric theory, 237

P

Pacemaker mechanisms, rabbit sinus node, electrophysiological study, 304

Perfused heart, rates of synthesis of actomyosin, rat, 552

Peripheral vascular disease, calf muscle adaptation, 507

Phosphate analysis, high energy, myocardial biopsies for, pulverising gun, new method: instruments and techniques, 449

Platelet adhesion to experimental autogenous vein grafts, adverse effects of high dose aspirin, 770

- functions, effects of smoking and dietary saturated fats, Scottish farmers, 155
- mediated thrombosis, influence of alpha-adrenergic blockade in canine coronary artery stenosis, 146
- Postmortem functional changes, in coronary and cerebral arteries, man, monkey, 707
- Potassium concentrations, extracellular, elevated, effects on Class III antiarrhythmic action of sotalol, 69
- extracellular, effects on slow response excitation, rabbit, 754
- Potassium⁺, effects of verapamil during myocardial ischaemia, dogs, 363
- Prazosin treatment, effect on sarcolemmal ATPase in mitral insufficiency, dogs, 406
- Pressure/diameter relationships, two-dimensional *in vivo*, main pulmonary artery, dog, 442
- and flow, and characterisation of aorto-iliac stenoses, 559
- relations, instantaneous and steady-state, canine beating heart, 121
- length loops, ventricular, for: interpretation of myocardial contraction, 193
- perfusion, low, vasopressin-induced coronary constriction, 433
- volume, end-systolic, relations of isolated ejecting rabbit left ventricles after quick diastolic volume changes, 782
- Pulmonary artery, two-dimensional *in vivo* pressure/diameter relationships in, dog, 442
- Pulverising gun for preservation of ATP and creatine phosphate: instruments and techniques, 449
- Purkinje fibres, cardiac, reversal of strophanthidin negative inotropy by metabolic substrates, 537

Q

- Quinidine-induced long QT interval, effects of bretylium, 655

R

- Radial artery and aorta, simultaneous Doppler blood velocity measurements, normal man, 394
- Radionuclide angiography, investigation in aortic regurgitation after exercise, 212
- Raynaud's phenomenon, sympathetic outflow to the hand, 249
- Reoxygenation damage, myocardial, circumvention, 299
- LPC, α -adrenoceptors and lipid peroxidation mediating calcium uptake, 228
- Reperfusion with coenzyme Q₁₀, left ventricular function, improvement in recovery, isolated working rat heart, 38
- Repolarisation, atrial muscle, adaptation after high rate stimulation, 7
- Respiration, influence on coronary sinus blood flow determination by thermodilution technique, 27
- Resuscitation, closed-chest, *see* Cardiopulmonary resuscitation
- Right ventricular hypertrophy, coronary circulation, swine, 104

S

- Saphenous vein, human, metabolic damage during coronary artery bypass grafting preparation, 326
- Sarcolemmal ATPase, cardiac, effect of prazosin treatment in mitral insufficiency, dogs, 406
- Sarcomere shortening, cardiac, dynamic effects of initial length and isotonic motion, 519 *abst*
- *see also* Cardiac muscle: Length: Force
- Saturated fats, and smoking, effect on platelet functions, Scottish farmers, 155
- Segmental function during thrombotic coronary occlusion, 495
- Shock, endotoxin, before and after GIK, myocardial metabolic and morphometric changes, canine, 455
- skeletal muscle perfusion and metabolism during, dog, 278
- Sinus node, pacemaker mechanisms, electrophysiological study, rabbit, 304

- responses to perfusion pressure changes, ischaemia and hypothermia, isolated blood-perfused atrium, dog, 20
- Skeletal muscle perfusion and metabolism, during endotoxin shock, dog, 278
- Slow response excitability, rabbit atrial trabeculae, effects of extracellular potassium, 754
- Smoking and dietary saturated fats, effect on platelet functions, Scottish farmers, 155
- Sonomicrometer interpretation of myocardial contraction, 193
- Sotalol, class III antiarrhythmic action, influence of acute myocardial ischaemia, 661
- effects of elevated extracellular potassium concentrations on Class III antiarrhythmic action, 69
- electrophysiology, in hypoxic myocardium, 668
- Spatial heterogeneity of myocardial blood flow, dependence on mean blood flow rate, rabbit heart, 160
- Specialised conduction system, mapping of activation changes within, in acute ischaemia, dog, 319
- Spontaneously hypertensive rats, long-term effects of verapamil on blood pressure, cardiac hypertrophy and collagen metabolism, 355
- — vascular effects of anti-hypertensive therapy, 528
- S-T segment, with pacing-induced tachycardia, 254
- Stress ventricular function test, to assess cardiac drug efficacy, conscious, nonthoracotomised dogs: instruments and techniques, 51
- Strophanthidin negative inotropy, reversal by metabolic substrates in cardiac Purkinje fibres, 537
- Sympathectomy, local forefoot blood flow regulation, 219: addendum, 453
- Sympathetic nerve activity, role in endotoxin induced hypotension, cats, 32

T

- Temperature-dependency of nifedipine as protective agent during cardioplegia, rat, 95
- Thallium-201 redistribution, normal canine myocardium, effect of hyperaemia, 679
- Thermodilution technique, coronary sinus blood flow determination, influence of catheter position and respiration, 27
- Thrombus, acutely developing, segmental function changes due to coronary flow reduction, 495
- Ticlopidine, effects on clinically relevant model of heart failure, 187

U

- Ultrasound, Doppler, in detection of early arterial disease, 206
- *see also* Doppler

V

- Vasa vasorum in thoracic aorta, effects of chronic hypertension, 777
- Vascular, input impedance, pulmonary, newborn and infant pig, 44
- unit, role of continuous wave Doppler imaging, 631
- Vasopressin-induced coronary constriction at low perfusion pressures, 433
- involvement in cardiovascular regulation: review, 57
- Velocity of shortening, force and sarcomere length, cardiac muscle, 518 *abst*
- Ventilation hypoxia and lobar collapse, pulmonary lobe blood flow, dog, 264
- Ventricular (ventricle) function, left, improvement in recovery during reperfusion with coenzyme Q₁₀ in isolated working rat heart, 38
- hypertrophy, workload as determinant, 524 *abst*

- left, isolated ejecting, rabbit, after quick diastolic volume changes, end-systolic pressure-volume relations, 782
 - rabbit, morphometric study of total and perfused arteriolar and capillary network, 343
 - myocytes, enzymatically isolated, size and shape, rats and cardiomyopathic hamsters, 793
 - pressure-volume relation, similarity to muscle force-length, 523 *abst*
 - relaxation, afterload dependence, 649
 - Verapamil, in evaluation of rat model for ischaemic myocardium, 132
 - induced increment of oxygen extraction, arteriosclerotic limb, 567
 - long-term effects on blood pressure, cardiac hypertrophy and collagen metabolism, in spontaneously hypertensive rats, 355
 - stress ventricular function test, to assess cardiac drug efficacy, conscious, nonthoracotomised dogs: instruments and techniques, 51
 - Volume changes, quick diastolic, end-systolic pressure-volume relations of isolated ejecting rabbit left ventricles after, 782
 - clamp method, finger blood pressure measurement, 139
 - overload, chronic, impaired atrial receptor modulation or renal nerve activity in, dogs, 411
- W
- Workload as determinant of ventricular hypertrophy, 524 *abst*

X

- X-ray diffraction study, chemically skinned cardiac muscle, 514 *abst*



CARDIOVASCULAR RESEARCH

EDITOR
P SLEIGHT

ASSISTANT EDITOR
D H BERGEL

G C VAN DEN BOS
N L BROWSE
S M COBBE
P H FENTEM
K FOX
T KENNER
W KÜBLER
G MANCIA
A MARK
J H MITCHELL

P PERONNEAU
P A POOLE-WILSON
R S RENEMAN
B ROBINSON
A G SHAPER
W SCHAPER
P THORÉN
E M VAUGHAN WILLIAMS
K WESSELING

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANN NORRIS

VOLUME 19, 1985

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE WC1H 9JR



CONTENTS

No 1 JANUARY 1985

Instructions to Authors	7
Adaptation of human atrial muscle repolarisation after high rate stimulation: S Bertil Olsson, Holger Broman, Claes Hellström, Kewal K Talwar, and Reinhard Volkmann	7
Redistribution of creatine kinase isoenzymes in chronically overloaded myocardium: A Younes, J M Schneider, J Bercovici, and B Swynghedauw	15
Sinus node responses to perfusion pressure changes, ischaemia and hypothermia in the isolated blood-perfused dog atrium: Miyoharu Kobayashi, Diane Godin, and Réginald Nadeau	20
Coronary sinus blood flow determination by the thermodilution technique: Influence of catheter position and respiration: Jens P Bagger	27
Role of sympathetic nerve activity in endotoxin induced hypotension in cats: Shozo Koyama and John W Manning	32
Improvement in recovery of left ventricular function during reperfusion with coenzyme Q₁₀ in isolated working rat heart: Takashi Konishi, Yasuyuki Nakamaru, Tomotsugu Konishi, and Chuichi Kawai	38
Pulmonary vascular input impedance in the newborn and infant pig: S E Greenwald, R J Johnson, and Sheila G Haworth	44
<i>Instruments and techniques</i>	
Stress ventricular function test in conscious, nonthoracotomised dogs to assess cardiac efficacy: William J French, William Averill, Steven Ung, and Michael M Laks	51
Announcement	55

No 2 FEBRUARY 1985

REVIEW	
Involvement of vasopressin in cardiovascular regulation: T Bennett, and S M Gardiner	57
Effects of elevated extracellular potassium concentrations on the Class III antiarrhythmic action of sotalol: Stuart M Cobbe and B Stewart Manley	69
Freeze-thaw injury of rat heart across an intact diaphragm: a new model for the study of the response of myocardium to injury: Rudolf Vracko and David Thorning	76
Angiography and complement activation. Evidence for generation of C3a anaphylatoxin by intravascular contrast agents: S Westaby, P Dawson, M W Turner, and R B Pridie	85
Nuclear-cytoplasmic interactions affecting DNA synthesis during induced cardiac muscle growth in the rat: Lawrence B Bugaisky, Murray Rabinowitz, and Radovan Zak	89
Temperature-dependency of nifedipine as a protective agent during cardioplegia in the rat: Masatake Fukunami and David J Hearse	95
Transmural coronary vasodilator reserve, and flow distribution during tachycardia in conscious young swine with right ventricular hypertrophy: Murli Manohar	104

Liver damage as a potential source of error in the estimation of myocardial infarct size from plasma creatine kinase activity: R J Oostenbroek, G M Willems, M L L Boumans, P B Soeters, and W T Hermens	113
Announcement	120

No 3 MARCH 1985

Instantaneous and steady-state pressure-flow relations of the coronary system in the canine beating heart: Gerard A van Huis, Pieter Sipkema, and Nico Westerhof	121
Evaluation of a rat model for assessing interventions to salvage ischaemic myocardium: effects of ibuprofen and verapamil: R Gregory Evans, Jesus E Val-Mejias, James Kulevich, Vernon W Fischer, and Hiltrud S Mueller	132
Effects of peripheral vasoconstriction on the measurement of blood pressure in a finger: Karel H Wesseling, Jos J Settels, Gerard M A van der Hoeven, Jannes A Nijboer, Michelle W T Butijn, and Joop C Dorlas	139
Influence of α-adrenergic blockade on platelet-mediated thrombosis in stenosed canine coronary arteries: Roberto Bolli, Tedd A Brandon, Myles L Mace Jr, and Donald G Weilbaecher	146
Effect of smoking and dietary saturated fats on platelet functions in Scottish farmers: S Renaud, E Dumont, F Baudier, E Ortchanian, and I S Symington	155
Dependence of spatial heterogeneity of myocardial blood flow on mean blood flow rate in the rabbit heart: Robert S Conway and Harvey R Weiss	160
Influence of nitroglycerin on collateral blood flow during acute ischaemia in the dog: William S Weintraub, Scott Cluley, Franco Naccarella, Satoshi Akizuki, Jai B Agarwal, Monty M Bodenheimer, Vidya S Banka, and Richard H Helfant	169
Effect of aspirin and indomethacin on exercise-induced changes in blood pressure and limb blood flow in normal volunteers: A J Cowley, K Stainer, J M Rowley, and R G Wilcox	177

No 4 APRIL 1985

REVIEW

Experimental models of heart failure: Howard J Smith and Aidan Nuttall	181
A clinically relevant model of heart failure: effects of ticlopidine: Aidan Nuttall, Howard J Smith, and Bernard E Loveday	187
Interpretation of myocardial contraction recorded from local segments: Knut Matre, Erick Hexeberg, and Jon Lekven	193
Hepatic trapping of red cells in canine endotoxin shock: a variable phenomenon after splenectomy: G J J Teule, A D M Kester, P D Bezeme, L J Thijs, and G A K Heidendal	201
Detection of early arterial disease: a study using Doppler waveform analysis: W Bruce Campbell, Robert Skidmore, John P Woodcock, and Roger N Baird	206
Haemodynamic adaptation to exercise in asymptomatic patients with severe aortic regurgitation: Richard Thompson, Ian Ross, Peter Leslie, and Ronald Easthope	212

Local regulation of subcutaneous forefoot blood flow during orthostatic changes in normal subjects, in sympathetically denervated patients and in patients with occlusive arterial disease: Jens H Eickhoff and Ole Henriksen	219
Alpha-adrenoceptor stimulation, lysophosphoglycerides, and lipid peroxidation in reoxygenation induced calcium uptake in rabbit myocardium: Michael A Tones and Philip A Poole-Wilson	228
Myocardial ischaemia produced by ergonovine-induced vasoconstriction during preexisting coronary stenosis: experimental conditions for the geometric theory: Mitsuhiro Yokoyama, Susumu Sakamoto, Seinosuke Kawashima, Toshio Okada, and Hisashi Fukuzaki	237

No 5 MAY 1985

Sympathetic outflow to the hand in patients with Raynaud's phenomenon: Jan Fagius and Helmut Blumberg	249
Electrocardiographic correlates of myocardial ischaemia induced by atrial and ventricular pacing in dogs with coronary stenosis: David M Mirvis	254
Pulmonary lobe blood flow during ventilation hypoxia and lobar collapse in the dog: C H Orchard, R Sanchez de Leon, M K Chakrabarti, N Leme, and M K Sykes	264
Cardiomegaly and haemodynamics in rats with a transplantable growth hormone-secreting tumour: David G Penney, Joseph C Dunbar Jr, and Michael S Baylerian	270
Skeletal muscle perfusion and metabolism during canine endotoxin shock: A A van Lambalgen, W Bronsveld, G C van den Bos, L G Thijs, and A D M Kester	278
Concentration-response curves of positive inotropic agents before and after ouabain pretreatment: Lindsay Brown and Erland Erdmann	288
Myocardial reoxygenation damage: can it be circumvented?: S P Chappell, M J Lewis, and A H Henderson	299
Electrophysiological study of the two main pacemaker mechanisms in the rabbit sinus node: Danielle Kreitner	304

No 6 JUNE 1985

Mapping of activation changes within the acutely ischaemic canine specialised conduction system: Chalmers Lyons and Paul Schroeder	319
Metabolic damage to human saphenous vein during preparation for coronary artery bypass grafting: G D Angelini, Iain M Breckenridge, Eric G Butchart, Stephen H Armistead, Kate M Middleton, Andrew H Henderson, and Andrew C Newby	326
Intrathoracic and abdominal pressure variations as an efficient method for cardiopulmonary resuscitation: Studies in dogs compared with computer model results: Rafael Beyar, Yehezkiel Kishon, Eitan Kimmel, Henri Neufeld, and Uri Dinnar	335
Morphometric study of the total and perfused arteriolar and capillary network of the rabbit left ventricle: Harvey R Weiss and Robert S Conway	343

Effects of long-term verapamil treatment on blood pressure, cardiac hypertrophy and collagen metabolism in spontaneously hypertensive rats: Heikki J Ruskoaho and Eeva-Riitta Savolainen	355
Effects of verapamil on the extracellular K^+ rise during myocardial ischaemia in dogs: J F Lopez and R C Orchard	363
Effects of electrical stimulation and an intracellular calcium chelator on calcium movement in suspensions of isolated myocardial muscle cells: Gregory J Barritt and Amanda M Lee	370
Adriamycin cardiomyopathy in the rabbit: an animal model of low output cardiac failure with activation of vasoconstrictor mechanisms: Leonard Arnolda, Barry McGrath, Michael Cocks, Eric Sumithran, and Colin Johnston	378

No 7 JULY 1985

Quantitative ascending aortic Doppler blood velocity in normal human subjects: Bernard Levy, Ralph C Targett, Alain Bardou, and Malcolm B McIlroy	383
Simultaneous Doppler blood velocity measurements from aorta and radial artery in normal human subjects: Ralph C Targett, Bernard Levy, Alain Bardou, and Malcolm B McIlroy	394
Mechanism of hydralazine-induced relaxation of arterial smooth muscle: Anthony B Ebeigbe and C Peter Aloamaka	400
Effect of prazosin treatment on the cardiac sarcolemmal ATPase in failing heart due to mitral insufficiency in dogs: K Prasad, C L O'Neil, and B Bharadwaj	406
Impaired atrial receptor modulation of renal nerve activity in dogs with chronic volume overload: Irving H Zucker, Andrew J Gorman, Kurtis G Cornish, and Michael Lang	411
Metabolic evidence of inadequate coronary blood flow during closed-chest resuscitation in dogs: Roy V Ditchey and Lawrence D Horwitz	419
Mechanism of the negative inotropic action of leukotrienes C4 and D4 on isolated rat heart: John A Bittl, Marca A Pfeffer, Robert A Lewis, Mukund M Mehrotra, E J Corey, and K Frank Austen	426
Vasopressin-induced coronary constriction at low perfusion pressures: George A Pantely, Herbert D Ladley, Cheryl G Anselone, and J David Bristow	433
Two-dimensional in vivo pressure/diameter relationships in the canine main pulmonary artery: Timothy A Johnson, G William Henry, Carol L Lucas, Blair A Keagy, Manuel E Lores, Henry S Hsiao, Jose I Ferreiro, and Benson R Wilcox	442
<i>Instruments and techniques</i>	
A new device for the efficient pulverisation and extraction of myocardial biopsies for high energy phosphate analysis: Edith H Speir, James Sullivan, and Randolph E Patterson	449
Letter	452
Addendum	453

No 8 AUGUST 1985

Myocardial metabolic and morphometric changes during canine endotoxin shock before and after glucose-insulin-potassium: W Bronsveld, A A van Lambalgen, D van Velzen, G C van den Bos, P A R Koopman, and L G Thijs	455
Mechanism of liposoluble drugs and general anaesthetic's membrane action: action of difluorodichloromethane (FC 12) on different types of cardiac fibres isolated from sheep hearts: Y Von Lessard and Georges Paulet	465
Effect of clonidine and naloxone on the pressor response during contraction of cat hind-limb muscles: Carole A Williams	474
The beneficial effect of amrinone on acute drug-induced heart failure in the anaesthetised dog: Adawia A Alousi, Jay M Canter, and Dorothy J Fort	483
Subendocardial and subepicardial segmental function changes in the dog heart due to gradual coronary flow reduction by an acutely developing thrombus: Brian G Bertha and John D Folts	495
Calf muscle adaptation to peripheral vascular disease: Charles A C Clyne, H Mears, R O Weller, and T F O'Donnell	507
Abstracts of Symposium organised by the Cardiac Muscle Research Group	513

No 9 SEPTEMBER 1985

Inhibition of the baroreceptor heart rate reflex by angiotensin II in normal man: J E Mace, R D S Watson, W Skan, and W A Littler	525
Lack of effect of anti-hypertensive treatment with felodipine on cardiovascular structure of young spontaneously hypertensive rats: N C B Nyborg and M J Mulvany	528
Reversal of strophanthidin negative inotropy by metabolic substrates in cardiac Purkinje fibres: Shinichi Ishikawa and Mario Vassalle	537
Rates of synthesis of actomyosin in atria and ventricles of the perfused working rat heart: David M Smith and Peter H Sugden	552
Characterisation of aorto-iliac arterial stenoses in terms of pressure and flow: Antony R Baker, David R Prytherch, David H Evans, and Peter R F Bell	559
Verapamil induced increment of oxygen extraction in the arteriosclerotic limb: Jens P Bagger, Ralph Mathar, Peter K Paulsen, Jörgen Gormsen, and Kirsten H Olsen	567
Localisation of neuropeptide Y in nerves of the rat cardiovascular system and the effect of 6-hydroxydopamine: Janet M Allen, Julia M Polak, Jose Rodrigo, Kenneth Darcy, and Stephen R Bloom	570
Effect of adenosine deaminase inhibitors on myocardial reactive hyperaemia following brief coronary occlusions: Daiji Saito, Yukihiko Abe, Hideki Tani, Kou Takeda, Tazuo Hyodo, Takaaki Nakatsu, Masayuki Ueeda, and Shozo Kusachi	578
Isoprenaline-evoked disturbances in action potentials from hearts of young cardiomyopathic hamsters: Kenneth L Rossner	584
Intimal hyperplasia in autogenous vein grafts used for arterial bypass: a canine model: R W Landymore, C E Kinley, and C A Cameron	589

No. 10 OCTOBER 1985

Adenosine deaminase inhibition and myocardial purine release during normoxia and ischaemia: Peter W Achterberg, Eef Harmsen, and Jan Willem de Jong	593
Elevated coronary vascular resistance in the presence of reduced resting blood flow distal to a severe coronary stenosis: Albert S Most, David O Williams, and Henry Gewirtz	599
Effect of global vs regional ischaemia upon myocardial contractility and oxygen balance: Esther Farman, Bat-Ami Acad, Judith Sonn, Avraham Raul, and Joseph Kedem	606
Experimental autoimmune myocarditis in the guinea pig: Jeffrey D Hosenpud, Stephen M Campbell, Mark V Hart, Marilyn S Paul, John R Rowles, and Nelson R Niles	613
Inhomogeneity of ventricular refractory period in canine heart with quinidine-induced long QT interval: a comparative study on effects of heart rate, isoprenaline, and lignocaine: Hiroshi Inoue, Iku Toda, Akira Nozaki, Hiroshi Matsuo, Saburo Mashima, and Tsuneaki Sugimoto	623
The role of continuous wave Doppler imaging in a vascular unit: T K Hames, K N Humphries, V M Gazzard, T V Powell, and D L Mclellan	631
β-adrenoceptor density and relative number of β-adrenocpetor subtypes in biopsies from human right atrial, left ventricular, and right ventricular myocardium: Svein Golf, Rolf Løvstad, and Vidar Hansson	636
Parasympathetic contribution to bradycardia induced by endurance training in man: Benedito C Maciel, Lourenço Gallo Jr, José A Marin Neto, Euclydes C Lima Filho, João Terra Filho, José C Manço	642
An increase in afterload augments ventricular relaxation rate in isolated perfused canine hearts: Masatsugu Hori, Michitoshi Inoue, Masatake Fukunami, Masafumi Kitakaze, Yoshio Ishida, Katsuhiko Tsujioka, Shigeru Nakajima, Akira Kitabatake, and Hiroshi Abe	649
Effects of bretylium tosylate on inhomogeneity of refractoriness and ventricular fibrillation threshold in canine hearts with quinidine-induced long QT interval: Hiroshi Inoue, Iku Toda, Akira Nozaki, Hiroshi Matsuo, and Tsuneaki Sugimoto	655

No 11 NOVEMBER 1985

The influence of acute myocardial ischaemia on the Class III antiarrhythmic action of sotalol: Stuart M Cobbe, B Stewart Manley, and Dimitrios Alexopoulos	661
Interaction of the effects of hypoxia, substrate depletion, acidosis and hyperkalaemia on the class III antiarrhythmic properties of sotalol: Stuart M Cobbe, B Stewart Manley, and Dimitrios Alexopoulos	668
On the change of cardiac action potential with age: a study in dogs: Hans Bosker, Angela J Drake-Holland, Henk E D J Ters Keurs, Mark I M Noble, Jane E Passingham, John R Pepper, Mark J Main, and Richard B Wanless	674
Effect of hyperaemia on thallium-201 redistribution in normal canine myocardium: Jeffrey A Leppo, Robert D Okada, H William Strauss, and Gerald M Pohost	679

Infarct size limitation by the xanthine oxidase inhibitor, allopurinol, in closed-chest dogs with small infarcts: Satoshi Akizuki, Shigeo Yoshida, David E Chambers, Lynne J Eddy, Loren F Parmley, Derek M Yellon, and James M Downey . . .	686
Hypertrophic cardiomyopathy characterised by β-adrenoceptor density, relative amount of β-adrenoceptor subtypes and adenylate cyclase activity: Svein Golf, Erik Myhre, Michel Abdelnoor, Drude Andersen, and Vidar Hansson . . .	693
Quantitative Doppler blood flow measurement method and in vivo calibration: M Chauveau, B Levy, J F Dessanges, E Savin, O Bailliat, and J F Martineaud . . .	700
Postmortem functional changes in coronary and cerebral arteries from humans and monkeys: Noboru Toda, Tomio Okamura, Ikuko Shimizu, and Yoshitsugu Tatsuno . . .	707
A new sensitive method for the quantification of internal carotid stenoses by means of ultrasound Doppler signal processing: K Paulat, P Pauschinger, M Popp, M Schiebe, and B Widder . . .	714
Angiotensin-induced hypertension in conscious dogs: biochemical parameters and baroreceptor reflex: A Beck, B Grasmugg, E Singer, S Bacher, and G Raberger . . .	721

No 12 DECEMBER 1985

Electromechanical effects of caffeine in isolated human atrial fibres: Cheng-I Lin, Tsai-Hsien Chiu, Benjamin N Chiang, and Kwok-Kei Chèng . . .	727
Cardiac mass in glucocorticoid-hypertensive rats with and without circulating adrenaline: James F Burris, Bernard Waeber, and Hans R Brunner . . .	734
Cardiac output measured by impedance cardiography during maximal exercise tests: Koon-Kang Tęo, Maxine D Hetherington, Robert G Haennel, Paul V Greenwood, Richard E Rossall, and Tissa Kappagoda . . .	737
Evidence of histamine-induced myocardial ischaemia: reversal by chlorpheniramine and potentiation by atherosclerosis: C A Tozzi, S G Dorrell, and G F Merrill . . .	744
Effects of extracellular potassium on slow response excitability in rabbit atrial trabeculae: Samuel Cukierman . . .	754
Carotid sinus reflexes during postural changes, naturally elicited fighting behaviour, and phases of sleep in the cat: Albert del Bo, Giorgio Baccelli, Giorgio Cellina, Franco Fea, Alberto Ferrari, and Alberto Zanchetti . . .	762
Adverse effects of high dose aspirin on platelet adhesion to experimental autogenous vein grafts: Anthony H Gershlick, Y Denise Syndercombe Court, Andrew J Murday, C Terence Lewis, and Peter G Mills . . .	770
Effects of chronic hypertension on vasa vasorum in the thoracic aorta: Melvin L Marcus, Donald D Heistad, Mark L Armstrong, and Francois M Abboud . . .	777
End-systolic pressure-volume relations of isolated ejecting rabbit left ventricles after quick diastolic volume changes: Paul J M Kil and Piet Schiereck . . .	782
Size and shape of enzymatically isolated ventricular myocytes from rats and cardiomyopathic hamsters: Albert L Sorenson, David Tepper, Edmund H Sonnenblick, Thomas F Robinson, and Joseph M Capasso . . .	793
Index. . . .	801